

- ১। দরপত্র ফ্রি ডেলিভারী এ্যাট সাইট শর্ত ছাড়া অন্য কোন শর্তে গ্রহণযোগ্য নয়।
- ২। টেন্ডারে অংশগ্রহণকারীকে সরকারী বিধি মোতাবেক কাষ্টমস কর্তৃপক্ষের দপ্তর থেকে মূসক সেবার কোড এর ০৩৭.০০ আওতাধীন “যোগানদার” হিসাবে মূল্য সংযোজন কর/টার্নওভার ট্যাক্স নিবন্ধিত হতে হবে এবং এই টেন্ডারের সাথে মূসক/টার্নওভার ট্যাক্স নিবন্ধন পত্রের কপি সংযুক্ত করতে হবে। সরকারী বিধি মোতাবেক মূসক আদায়/রহিত করা হবে।
- ৩। সরবরাহকারীর মূল্য তালিকা (স্বহস্তে লিখিত বা ছাপানো হোক) পরিষ্কারভাবে সিলমোহরকৃত খামে ম্যানেজিং ডাইরেক্টর, খুলনা শিপইয়ার্ড লিঃ বাংলাদেশ নৌ বাহিনী, খুলনা সম্বোধন পূর্বক পাঠাতে হবে। এছাড়া দরপত্র ই-মেইলে- [oiocoml.ksy@gmail.com](mailto:oiocoml.ksy@gmail.com) ঠিকানায় ১১.১৫ ঘটিকার মধ্যে প্রেরণ করা যাবে।
- ৪। মূল্য যাচাইপত্র নং বাবি-২২/৬৯৮/২১-২২ তারিখ ২১-০৪-২০২২ জমা নেবার শেষ তারিখ ২৮-০৪-২০২২ বেলা ১১-৩০ মিনিট পর্যন্ত।
- ৫। মূল্য তালিকা ডাকে অথবা স্বহস্তে শিপইয়ার্ড প্রধান ফটকে রক্ষিত বাক্সে জমা দিতে হবে। মূল্য তালিকা কমপক্ষে ৪০ দিন পর্যন্ত অবশ্যই বলবৎ রাখতে হবে। ক্রয়াদেশ প্রদানের তারিখ হতে নির্দিষ্ট দিনের মধ্যে মালামাল সরবরাহ করতে হবে।
- ৬। ক্রয়াদেশে বর্ণিত সময়সীমা উত্তীর্ণ হওয়ার পর মালামাল সরবরাহ করা হলে প্রতি সপ্তাহে অথবা অংশ বিশেষ এর জন্য ০.৫% হারে এলডি এবং সরবরাহে অধিক বিলম্বের কারণে উৎপাদন ব্যাহত হলে/ কোন ক্ষতি হলে প্রতি সপ্তাহের অথবা তার অংশ বিশেষের জন্য অনাধিক ১% হারে এলডি সরবরাহকারীর নিকট হতে কর্তন করা হবে।
- ৭। সরবরাহকারী কর্তৃক সময়মত মালামাল সরবরাহে ব্যর্থ হলে অসরবরাহকৃত মালামাল অন্যত্র হতে ক্রয় করে অতিরিক্ত খরচ (যদি কিছু থাকে) সরবরাহকারীর নিকট হতে আদায় করা হবে।
- ৮। আমাদের নির্দিষ্ট মূল্য যাচাই পত্রের টেন্ডার ফরম ব্যতিরেকে অন্য যে কোন শিরোনামাংকিত পত্রের মূল্য তালিকা পাঠানো হলে উহা গ্রহণযোগ্য নাও হতে পারে। বিলম্বে প্রাপ্ত দরপত্র গ্রহণযোগ্য নয়।
- ৯। খুলনা শিপইয়ার্ড কর্তৃপক্ষের কোন কারন দর্শানো ব্যতিরেকেই যে কোন কিংবা সকল মূল্য তালিকাই গ্রহণ অথবা নাকচ করার ক্ষমতা থাকবে।
- ১০। কোন গ্রহণযোগ্য মূল্য তালিকার সরবরাহকারীকে ক্রয়াদেশ বিধি মোতাবেক দ্রব্য সরবরাহ সুনিশ্চিত করার জন্য তালিকাভুক্তি ছাড়া সরবরাহকারীর নিকট ৩% হারে জামানত আহবান করা যাবে। উক্ত জামানত এবং তালিকাভুক্ত সরবরাহকারীর স্থায়ী জামানত শিপইয়ার্ড কর্তৃপক্ষের আইনের পরিপন্থি এবং ক্রয়াদেশ বহির্ভূত যে কোন কার্যের জন্য অথ্যাৎ নির্দিষ্ট সময়ে সরবরাহে অপারগ, প্রতিজ্ঞা অথবা নমুনা কিংবা ক্রয়াদেশ মোতাবেক সরবরাহ না করার জন্য বাজেয়াপ্ত করা যাবে।
- ১১। আমাদের এই শর্তাবলী স্বীকার করে নেওয়ার পর সরবরাহকারী কর্তৃক কোন প্রকার অবহেলা অথবা অন্য যে কোন নিজস্ব কারনে যদি শর্তাবলী বিঘ্নিত হয় এবং তার পরিপ্রেক্ষিতে শিপইয়ার্ডের যে কোন দ্রব্যগত বা অর্থগত ক্ষতি সরবরাহকারীর জামানত হতে পূরণ করা হবে।
- ১২। ক্রয়াদেশভুক্ত একই দফা আংশিক সরবরাহ গ্রহণযোগ্য নহে।

#### সালিসীর মধ্যস্থতা

উপরোক্ত শর্তাবলীর উপর যদি কোন মত বিরোধ দেখা দেয় তবে বিষয়টি নিষ্পত্তির জন্য উভয় পক্ষের মতানুসারে একটি সালিসী পক্ষ ডাকা হবে এবং তাতে বিফল হলে বাংলাদেশ নৌ বাহিনী কর্তৃক মনোনীত সালিসী পক্ষ এবং সরবরাহকারীর মনোনীত সালিসী পক্ষের মধ্যস্থতায় নিষ্পত্তির চেষ্টা করা হবে, তাতেও বিফল হলে উভয় সালিসী পক্ষের লিখিত মনোনায়নের মাধ্যম একজন বিচারক (আম্পায়ার) নিযুক্ত করা যাবে এবং তাতেও গৃহীত সিদ্ধান্ত ব্যর্থ হলে ১৯৪০ সালের সালিসী আইন অনুযায়ী চরম সিদ্ধান্তের জন্য একটি চরম সালিসী পক্ষকে মেনে নিতে হবে এবং সেই সিদ্ধান্ত উপরে বর্ণিত শর্তাবলী আইনানুগ ভাবে সংযোজিত হবে এবং উভয়পক্ষকে মেনে নিতে হবে।

#### বিশেষ দৃষ্টব্য

উপরোল্লিখিত যে কোন ঘরের নির্দিষ্ট বক্তব্য হতে বিরত থাকলে সরবরাহকারীর মূল্য উদ্ধৃত বাতিল হতে পারে। মূল্য উদ্ধৃতির সকল মূল্যহার পরিষ্কার ভাবে লিখতে হবে। কোনরূপ অস্পষ্টতা, অসম্পূর্ণতা অথবা পুনঃলিখনের মাধ্যমে ভুল বুঝার অবকাশ থাকলে উদ্ধৃতির উক্ত অংশটুকু বাতিল বলে গণ্য হবে।



# খুলনা শিপইয়ার্ড লিমিটেড বাংলাদেশ নৌ বাহিনী

Website: [www.ksybn.com](http://www.ksybn.com) E-mail : [piccoml.ksy@gmail.com](mailto:piccoml.ksy@gmail.com)

টেন্ডার নং বাবি-২২/৬৯৮/২১-২২

তারিখঃ ২১-০৪-২২


খোলার তারিখঃ ২৮-০৪-২২

বেলাঃ ১১-৩০ ঘটিকা

প্রিয় মহোদয়গণ,

নিম্নলিখিত দ্রব্যাদি খুলনা শিপইয়ার্ডে সরবরাহ করার জন্য আপনাদের কাছ থেকে সর্বনিম্ন মূল্য তালিকা আহ্বান করা যাচ্ছে। আপনাদের মূল্য তালিকা অবশ্যই অপর পৃষ্ঠায় বর্ণিত আমাদের শর্তাবলী অনুযায়ী হতে হবে।

আপনাদের বিশ্বস্ত

  
এম এম খায়রুল আলম  
বাণিজ্যিক কর্মকর্তা  
পক্ষে ম্যানেজিং ডাইরেক্টর

| ক্রঃ নং | মালামালের বিবরণ                                                                                                                                                                                                                     | পরিমাণ | একক দর                                                          | মোট মূল্য |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------|-----------|
| ১।      | <b>Air Vacuum Packaging Machine</b><br><b>Country of origin:</b> India/ China (Name of country to be mentioned)<br><b>(As per attached Specification)</b><br><b>Delevary Time:</b> 10 Days                                          | ০১ পিস | প্রতি পিস টাঃ<br>Model:<br>Brand:<br>Country:<br>Delevary Time: |           |
| ২।      | <b>Universal Knife Sharping Machine</b><br><b>Country of origin:</b> USA/Canada/Australia/Japan /EU/China countries<br>(Name of country to be mentioned)<br><b>(As per attached Specification)</b><br><b>Delevary Time:</b> 10 Days | ০১ পিস | প্রতি পিস টাঃ<br>Model:<br>Brand:<br>Country:<br>Delevary Time: |           |

বিঃ দ্রঃ ১। দরপত্রে মালামালের করিগরী বিনির্দেশের **Compliance Statement** জমা দিতে হবে। অন্যথায় দরপত্র বাতিল বলে গন্য হতে পারে।

২। টেন্ডার খোলার সময় দরদাতার কোন মতামত/অভিযোগ থাকলে তা তাৎক্ষনিক টেন্ডার খোলার সময় টেন্ডার কমিটির নিকট উপস্থিত থেকে প্রকাশ করতে হবে। টেন্ডার খোলার পরবর্তীতে টেন্ডার সম্পর্কিত কোন অভিযোগ/মতামত গ্রহণযোগ্য হবে না।

টেন্ডার কমিটির স্বাক্ষর

বাণিজ্যিক শাখা

হিসাবরক্ষণ বিভাগ

ব্যবহারকারী

আমরা অপর পৃষ্ঠায় সমস্ত শর্তাবলী মানিয়া নিলাম।

সরবরাহকারীর স্বাক্ষর

ভ্যাট নিবন্ধন নং-

এরিয়া কোড নং-

টি আই এন নং-

## **TENDER SPECIFICATION OF AIR VACUUM PACKING MACHINE**

1. **Name of the Equipment.** Air Vacuum Packing Machine/ Commercial Vacuum Sealer Machine.
2. **Purpose.** This Commercial Vacuum Sealer Machine normally work by removing air in a bag prior to sealing. This Vacuum Sealer Machine will be used for Self life extension corrosion resistance of various rubber product.
3. **Quantity.** One (01) complete set with all standard and necessary accessories and attachments.
4. **Country of Origin and Manufacturing Country.** India/China (name of country to be mentioned).
5. **Technical Specifications of the Commercial Vacuum Sealer Machine.** The Commercial Vacuum Sealer Machine should have the following technical requirements:

| Ser   | Technical Parameter              |                      |
|-------|----------------------------------|----------------------|
| i.    | Brand Name                       | To be mentioned      |
| ii.   | Model No                         | DZ500T or equivalent |
| iii.  | Dimension                        | 600x 370 x 417mm     |
| iv.   | Workbench                        | 500×300 mm           |
| v.    | Power Cord Length                | 3.3 feet (Minimum)   |
| vi.   | Rated voltage                    | 220V                 |
| vii.  | Rated power                      | 1-2 KW               |
| viii. | Sealing time                     | 6 ~10 seconds        |
| ix.   | Rated frequency                  | 50 Hz                |
| x.    | Vacuum Power                     | 0.8 Mpa              |
| xi.   | Vacuum Suction Strength          | 72L/min              |
| xii.  | VAC sealing time                 | 10~20 seconds        |
| xiii. | Sealing size (Width x Thickness) | 500x8mm              |

6. **Documents.** Two (02) sets of following documents (in English language) are to be supplied with the Commercial Vacuum Sealer Machine.
  - a. Instruction and Operational manual.
  - b. Workshop level repair manual.
  - c. Electrical and electronic circuit, fault finding flow chart, etc.
7. **Warranty.** Warranty for trouble free operation will be provided by the principal/ manufacturer for all the supplied items for a period of at least 12 months from the date of acceptance by the buyer.

**TENDER SPECIFICATION OF UNIVERSAL KNIFE SHARPENING MACHINE**  
**(Model PP-50)**

1. **Name of the Equipment.** Universal Knife Sharpening Machine/ Universal Tool and Cutter Grinding Machine.
2. **Purpose.** The Universal Tool & Cutter Grinding Machine will be used for different tool grinding, such as carbide tools, drill, tap (topper), end mill (corner), radius end mill, turning tool, radius turning tool, chamfer cutter, side milling cutter, hole saw, round bar etc.
3. **Quantity.** One (01) complete set with all standard and necessary accessories and attachments.
4. **Country of Origin and Manufacturing Country.** USA/Canada/Australia/Japan/EU/China countries (name of country to be mentioned).
5. **Type, Feature and Attachment.** The following features and attachment will be attached to the Universal Tool & Cutter Grinding Machine.

I. The wheel heads can be rotated 360° and be installed two wheels. Just rotate the wheel head, when need to grind the tool of different materials. It can increase the safety and save the time for changing & repairing the grinding wheel.

II. Adopt high precision cross roller guide on the table. The table is stable and can be operated smoothly.

III. Adopt cast iron with high toughness. It can keep the precision of the machine in the long term.

IV. There is a series of grinding attachment to choose from.

| <b>Grinding Attachments:</b> |      |                                                  |
|------------------------------|------|--------------------------------------------------|
| a.                           | 50B  | Drill & Tap Grinding Attachment (φ2mm-φ60mm)     |
| b.                           | 50K  | Tool & Cutter Grinding Attachment (φ2mm-φ32mm)   |
| c.                           | 50D  | End Mill Grinding Attachment                     |
| d.                           | 50F  | Turning Tools Grinding Attachment                |
| e.                           | 50SA | Helical Tool Grinding Attachment (φ6mm-φ32mm)    |
| f.                           | 50E  | Radius End Mill Grinding Attachment (φ3mm-φ25mm) |
| g.                           | 50EF | Radius Turning Tool Grinding Attachment          |
| h.                           | 50H  | Tool Grinding Attachment                         |

6. **Types of Tools to be ground include.** Types of Tools to be ground include: Drill, tap, (taper) end mill, (corner) radius end mill, turning tool, radius turning tool, chamfer cutter, countersink cutter, side milling cutter, reamer, T-slot cutter, annular cutter, round bar, etc.

**Technical Specifications of the Universal Tool and Cutter Grinding Machine.**  
The Universal Tool and Cutter Grinding Machine should have the following technical requirements:

| <b>Ser</b> | <b>Technical Parameter</b>        | <b>Description</b>                          |
|------------|-----------------------------------|---------------------------------------------|
| i.         | Model No                          | PP-50                                       |
| ii.        | Longitudinal Travel of Table      | Minimum 230 mm                              |
| iii.       | Horizontal Travel of Table        | Minimum 180 mm                              |
| iv.        | Working Table Area                | Minimum 620x190 mm                          |
| v.         | Vertical Adjustment of Wheel Head | 120 mm                                      |
| vi.        | Rotating Angle of Wheel Head      | 360° (A-Axis+Dual C-Axis)                   |
| vii.       | Size of Wheel                     | Both (125x50x31.7 mm) and (180x26x31.75 mm) |
| viii.      | Speed of Wheel                    | 2850 RPM (Minimum)                          |
| ix.        | Power Consumption                 | 4 HP, 50 Hz                                 |
| x.         | Voltage                           | 220V/ 380V                                  |
| x.         | Current in Ampere                 | To be mentioned                             |

8. **Standard and Necessary Accessories.** Universal Tool and Cutter Grinding Machine (PP-50) will be complete set in all respect. All standard and necessary accessories for Universal Tool and Cutter Grinding Machine are to be supplied for efficient and smooth operation whether those are mentioned in the specification or not, including but not limited to the following:

- |                                       |                                   |
|---------------------------------------|-----------------------------------|
| i. Grinding Wheel (Type: 5A) - 1 PC   | iv. Flange Wrench - 1 PC          |
| ii. Grinding Wheel (Type: 11A) - 1 PC | v. Work Light - 1 SET             |
| iii. Grinding Wheel Flange - 2 SETS   | vi. Tools for General Use - 1 SET |

9. **Documents.** Two (02) sets of following documents (in English language) are to be supplied with the Universal Tool and Cutter Grinding Machine:

- a. Instruction and Operational manual.
- b. Workshop level repair manual.
- c. Spare parts catalogue for the offered machine and its components.
- d. Electrical and electronic circuit, fault finding flow chart, etc.

10. **Test Trial.** Test Trial will be completed by the representative of the supplier.

11. **Warranty.** Warranty for trouble free operation will be provided by the principal/ manufacturer for all the supplied items for a period of at least 12 months from the date of acceptance by the buyer.